ARKANSAS POLLUTION CONTROL AND ECOLOGY COMMISSION



RECEIVED

AUG 0 7 2019

BUREAU OF LEGISLATIVE RESEARCH

REGULATION NO. 2

REGULATION ESTABLISHING WATER QUALITY STANDARDS FOR SURFACE WATERS OF THE STATE OF ARKANSAS

MARK-UP DRAFT

Submitted to the Arkansas Pollution Control and Ecology Commission: May 20, 2019

Stream	Concentration-mg/L		
	Chlorides	Sulfates	TDS
	(CI)	(SO ₄ °)	100
Unnamed trib)	()	(004)	
Unnamed trib to Big Creek	71	60	453
Lost Creek Ditch	20	30	270
Little Red River (including Greers Ferry Reservoir)	20	30	100
Black River	20	30	270
Strawberry River	20	30	270
Spring River	20	30	290
Eleven Point River	20	30	270
Stennitt Creek from Brushy Creek to Spring	ER	ER.	456*
River	LIX	43.3†	430
Brushy Creek from Unnamed Tributary to	ER		£40 i.
Stennitt Creek	EK	<u>126</u> †	549+
Unnamed Tributary from Vulcan Outfall	ER	260†	775+
001 to Brushy Creek	Lik	2001	<u>725</u> †
South Fork Spring River	20	30	270
Myatt Creek	20	30	270
Current River	20	30	270
White River (Dam #3 to Missouri state line, including Bull	20	30	210
Shoals Reservoir)	20	20	180
Buffalo River	20	20	200
Crooked Creek (Harrison WWTP outfall to Monitoring	22.6†	24.4†	
Station WHI0193)	22.0	24.47	269†
Crooked Creek (Monitoring Station WHI0193 to the	20	20	238†
mouth)	£U	20	4301
White River (Missouri state line, including Beaver	20	20	160
Reservoir)	20	20	100
White River from Noland WWTP to 0.4 miles downstream	44†	79†	362†
(WR-02)	,	, , ,	3021
White River from WR-02 to WHI0052	30†	401	237†
Kings River	20	20	150
West Fork White River	20	20	150
St. Francis River Basin			
St. Francis River (Mouth to 36° N. Lat.)	10	30	330
L'Anguille River	20	30	235
Tyronza River (headwaters to Ditch No. 6 confluence)	20	30	350
Ditch No. 27	ER	480	1200
Ditch No. 6 (mouth to Ditch No. 27 confluence)	ER	210	630
Tyronza River (mouth to Ditch No. 6 confluence)	20	60	350
Little River	20	30	365
Pemiscot Bayou	20	30	380
St. Francis River (36° N. Lat. to 36° 30' N. Lat.)	10	20	180
	10	20	100

Ouachita River Basin

Seasonal Ozark Highlands aquatic life use - all streams with watersheds of less than 10 mi2 except as otherwise provided in Reg. 2,505

Perennial Ozark Highlands aquatic life use - all streams with watersheds of 10 mi2 and larger and those waters where discharges equal or exceed 1-cfs

Site Specific Designated Use Variations Supported by Use Attainability Analysis or Other Investigations

Railroad Hollow Creek - no fishable/swimmable uses (OH-1, #1)

Columbia Hollow Creek - seasonal aquatic life use March-June (OH-1, #2)

Curia Creek - below first waterfall, perennial aquatic life use (OH-4, #3)

Moccasin Creek - below Arkansas Highway 177, perennial aquatic life use (OH-3, #4)

Stennitt Creek- from Brushy Creek to Spring River, no domestic water supply use (OH-4, #6)

Brushy Creek - from Unnamed Tributary to Stennitt Creek, no domestic water supply use (OH-4, #11) †

Unnamed Tributary - from Vulcan Outfall 001 to Brushy Creek, no domestic water supply use (OH-4, #12) †

SPECIFIC STANDARDS: OZARK HIGHLANDS ECOREGION (Plates OH-1, OH-2, OH-3, OH-4)

Lakes and Streams Reservoirs Temperature C (F)* 29 (84.2) 32 (89.6) Trout waters 20 (68) Turbidity (NTU) (base/all) 10/17 25/45 Minerals see Reg. 2.511 see Reg. 2.511 Dissolved Oxygen** Pri, Crit see Reg. 2,505 <10 mi² watershed 2 10 to 100 mi2 5 >100 mi² watershed 6 Trout waters

All other standards (same as statewide)

Site Specific Standards Variations Supported by Use Attainability Analysis

Railroad Hollow Creek: from headwaters to Spavinaw Creek - year-round dissolved oxygen - 2 mg/L (OH-1, #1)

Curia Creek - below first waterfall, critical season dissolved oxygen 6 mg/L (OH-4, #3)

Moccasin Creek - below Highway 177, critical season D.O. 5mg/L (OH-3, #4)

SWEPCO Reservoir - maximum temperature 54°C (limitation of 2.8°C above natural temperature does not apply)

Stennitt Creek - from Brushy Creek to Spring River, total dissolved solids = 456 mg/L, sulfate = 43.3 mg/L (OH-4, #6) †

^{*}As designated in the National Wild and Scenic Rivers System

^{**}Except for those waters with designated use variations supported by Use Attainability Analysis or other investigations.

Brushy Creek from Unnamed Tributary to Stennitt Creek, sulfate = 126 mg/L, total dissolved solids = 549 mg/L (OH-4, #11) †

Unnamed Tributary from Vulcan Outfall 001 to Brushy Creek, sulfate = 260 mg/L, total dissolved solids = 725 mg/L (OH-4, #12) †

Crooked Creek – from Harrison WWTP outfall to ADEQ Monitoring Station WHI0193; chloride 22.6 mg/L, sulfate 24.4 mg/L; TDS 269 mg/L (OH-2, #7) †

Crooked Creek – from ADEQ Monitoring Station WHI0193 to mouth: TDS 238 mg/L (OH-3, #8) † White River – from Noland WWTP to 0.4 miles downstream (WR-02), chloride = 44 mg/L, sulfate = 79 mg/L, TDS = 362 mg/L (OH-1), #7) †

White River – from WR-02 to WHI0052, chloride = 30 mg/L, sulfate = 40 mg/L, TDS = 237 mg/L (OH-1, #8) †

[†] Not applicable for clean water act purposes until approved by EPA.

^{*}Increase over natural temperatures may not be more than 2.8°C (5°F).

^{**}At water temperatures ≤10°C or during March, April and May when stream flows are 15 cfs and greater, the primary season dissolved oxygen standard will be 6.5 mg/L. When water temperatures exceed 22°C, the critical season dissolved oxygen standard may be depressed by 1 mg/L for no more than 8 hours during a 24-hour period.

Plate OH-4 (Ozark Highlands)

