1	State of Arkansas	As Engrossed: S1/8/04 S1/26/04 S1/27/04	Call Item 4	
2	84th General Assembly	A Bill		
3	Second Extraordinary Session, 2003 SENATE BILL 5			
4				
5	By: Senator Broadway			
6	By: Representative Elliott			
7				
8				
9	For An Act To Be Entitled			
10	AN ACT TO PROVIDE FOR CUSTODIAL AND MAINTENANCE			
11	CARE FO	OR SCHOOL FACILITIES; TO ESTABLISH CRI	[TERIA	
12	FOR SCI	HOOL FACILITY CARE; AND FOR OTHER PURE	POSES.	
13				
14		Subtitle		
15	AN A	ACT TO PROVIDE FOR CUSTODIAL AND		
16	MAII	NTENANCE CARE FOR SCHOOL FACILITIES.		
17				
18				
19	BE IT ENACTED BY THE	GENERAL ASSEMBLY OF THE STATE OF ARKA	NSAS:	
20				
21		ansas Code Title 6, Chapter 11, Subch	apter l is amended	
22		section to read as follows:		
23		odial and maintenance care for school	facilities.	
24		es of this section are to:		
25		re that school facilities in Arkansas	are properly	
26	<u>maintained;</u>			
27		inate the deterioration of existing a		
28		healthy environment for the students	· · · · ·	
29		taff members of the public schools; a		
30		ide the efficient use of state and lo	<u>cal funds in each</u>	
31	of the school distric			
32		nt Committee on Educational Facilitie		
33		of Education, shall develop standards		
34	maintenance care of school facilities in the state for presentation to the			
35	<u>Eighty-Fifth General</u>			
36	(2) The	standards shall provide for best prac	tices in custodial,	



SB53

1	maintenance, and preventive maintenance care.		
2			
3	(c) For the standards for custodial care, the committee and the state		
4	board shall consider the inclusion of the following:		
5	(1)(A) Implementation of a custodial care plan for all		
6	facilities owned by a district.		
7	(B) This plan shall incorporate a schedule of routine care		
8	and renovation cleaning;		
9	(2) Implementation of a training plan, including, but not		
10	limited to:		
11	(A) Chemical right-to-know;		
12	(B) Indoor air quality;		
13	(C) Blood-borne pathogens;		
14	(D) Asbestos Hazard Emergency Response Act of 1986, 20		
15	U.S.C. § 4011, two-hour asbestos, low-pressure boiler operator, safety codes		
16	and procedures;		
17	(E) Crisis management;		
18	(F) District employment policies;		
19	(G) Routine care procedures;		
20	(H) Renovation cleaning procedures;		
21	(I) Supply procurement procedures; and		
22	(J) Minor maintenance procedures and equipment use and		
23	care procedures;		
24	(3)(A) Provisions for adequate supplies and equipment to perform		
25	the custodial care plan.		
26	(B) Adequate space shall be provided for the proper		
27	storage of these supplies and equipment.		
28	(C) Appropriate training for the use and storage of all		
29	supplies and equipment, with emphasis given to chemical right-to-know, indoor		
30	air quality, and other applicable standards;		
31	(4) Opportunities for custodial employees to attend continuing		
32	in-service training provided and held regionally by the authority of the		
33	office of School Plant Services of the Department of Education.		
34	(5) Establishment of routine duties including, but not limited		
35	to:		
36	(A) Daily duties;		

2

1	(B) Grounds care;		
2	(C) Restroom care;		
3	(D) Classroom care;		
4	(E) Office care;		
5	(F) Entrance and corridor care;		
6	(G) Cafeteria care;		
7	(H) Care of special-use area;		
8	(I) Care of mechanical rooms, storage rooms, and closets;		
9	(J) Minor maintenance; and		
10	(K) Custodial equipment care; and		
11	(6) Establishment of renovation duties, including, but not		
12	limited to:		
13	(A) Restroom cleaning;		
14	(B) Classroom cleaning;		
15	(C) Office cleaning;		
16	(D) Entrance and corridor cleaning;		
17	(E) Cafeteria cleaning;		
18	(F) Special-use areas cleaning;		
19	(G) Mechanical rooms, storage rooms, and closets cleaning;		
20	and		
21	(H) Custodial equipment cleaning.		
22	(d) For the standards for maintenance care, the state board shall		
23	consider the inclusion of the following:		
24	(1)(A) Development and implementation of a scheduled preventive		
25	maintenance plan for all facilities owned by a district.		
26	(B) This plan shall include documentation and retention of		
27	information defining the type of preventive maintenance work performed and		
28	the completion date;		
29	(2) Development and implementation of a work-request system to		
30	allow others to inform the maintenance department of needs and to allow the		
31	responsible person to prioritize responses;		
32	(3) Opportunities for selected maintenance employees to attend		
33	continuing in-service training provided regionally by the authority of the		
34	office of School Plant Services of the Department of Education; and		
35	(4) Compliance with federal, state, county, and municipal laws		
36	and regulations regarding school facilities.		

3

1	(e) For the standards for preventive maintenance care, the state board		
2	shall consider the inclusion of the following:		
3	(1) Inspection, cleaning, and servicing of heating, ventilation,		
4	and air-conditioning systems;		
5	(2) Inspection and repair of electrical systems;		
6	(3) Inspection of hot water boilers and heaters;		
7	(4) Inspection of fire alarms;		
8	(5) Inspection and servicing of fire sprinkler systems;		
9	(6) Inspection of fire extinguishers and kitchen hood vent		
10	suppression systems;		
11	(7) Inspection of emergency lighting and exit light fixtures;		
12	(8) Inspection of elevators and wheel chair lifts;		
13	(9) Inspection of plumbing;		
14	(10) Inspection of roofs;		
15	(11) Inspection of stairwell areas;		
16	(12) Inspection of floor coverings;		
17	(13) Inspection of masonry and concrete buildings exteriors;		
18	(14) Inspection of kitchen equipment;		
19	(15) Maintenance of a pest control program;		
20	(16) Inspection of sidewalks, driveways, parking areas, and		
21	paved play areas;		
22	(17) Inspection of parking lots, handicap parking spaces,		
23	driveways, fire and emergency vehicle zones, and bus and car loading and		
24	unloading areas;		
25	(18) Inspection of playground equipment; and		
26	(19) Establishment of a grounds maintenance program.		
27			
28	/s/ Broadway		
29			
30			
31			
32			
33			
34			
35			
36			

4