



GREENTREE RESERVOIRS Management, Evaluation and Planning



PwrPt-C2 GTR Update Presentation








Background Information

- 49 GTRs totaling 51,000 acres on 19 WMA's. Over 300 miles of levee and 400 WCS
- Most GTRs were built in 1960 70's in response to waterfowl habitat loss in the MAV. Infrastructure is now reaching 50-60 years old and is not adequate to efficiently move water during the growing season.
- Initial Forest Health Assessment was conducted in 2014. Results indicated 40% of all willow oak had reached critical stages and another 42% were showing damage.
- 7 public meetings held since 2016 and brochures mailed to 100,000 waterfowl hunters to discuss management and long term goals




GTR Management Long-term Commitment: Objectives


- To support sustainable bottomland hardwood forests that provide quality foraging opportunities on mast and invertebrates for waterfowl.
- To provide long-term waterfowl hunting opportunity.




Long-term opportunity requires sustainability

GTR Management Long-term Habitat Degradation





Beneficial species in poor health – reevaluations ongoing



Not all acorns provide food for ducks




GTR Management

Shift Management Focus from Holding Water to

Moving Water




10 of the top 25
 historical crests on the
 White River near HGHL
 WMA occurred in the
 last 11 years



Apparent increased growing season stressors







GTR Management Develop Initial Restoration Objectives

Cost Estimates for Initial Infrastructure Enhancements at Harris Brake WMA					
Upper GTR	Quantity	Estimated Cost			
Frame out Upper Langemann Gates	1	\$160,000			
Langemann Gates, 14'	1	\$100,000			
Spillway Construction (2-5)	300 ft.	\$24,000			
Lower GTR					
Frame out Water Control Structure for Overshot Gates	2	\$310,000			
Overshot Gates, 14'	2	\$200,000			
Spillway Construction (2-5)	300 ft.	\$24,000			
Flatcar Bridge	1	\$100,000			
Throughout WMA					
Drainage Clean-out/Restoration	60 ac.	\$160,000.00			
build small reservoir at outlet of Lake (2 overshots, flatcar, and dam)	2	\$550,000.00			
TOTAL		\$1,628,000			

Draft renovation concepts for each WMA

GTR Management Develop Initial Restoration Objectives

Estimated Cost to Renovate GTRs in 11 WMAs					
Ranking	WMA		Cost	Notes	
1	Earl Buss Bayou Deview	\$	1,650,100	2 NAWCA proposals submitted in FY20 - no word on status of proposals	
1	Henry Gray Hurricane Lake	\$	3,632,000	Engineering/Design/Permitting work contracted in FY20	
1 and 4	George H. Dunklin Jr. Bayou Meto	\$	15,500,000	NOTE: This DOES include funding for the BM Irrigation Project (nonfederal matching portion of the clean-out of Little Bayou Meto to lower pump station and repairs to Cannon Brake infrastructure) - \$5.5 (Priority 1). GTR infrastructure renovations on the WMA will be extensive but information is unavailable at this time - estimate \$10 million (Priority 4 to allow time gather necessary data/information).	
2	Bell Slough	\$	780,000		
2	Bois D'Arc	\$	1,555,000		
2	Cut Off Creek WMA	\$	1,350,000		
2	Petit Jean River WMA	\$	1,550,000		
3	Big Lake	\$	5,052,500		
3	Shirey Bay Rainey Brake	\$	3,700,000		
4	Dave Donaldson Black River WMA	\$	3.000.000	NOTE: This does not include the existing \$13.5 M currently in the AGFC's account.	
5	Harris Brake WMA	\$	1,700,000		
TOTAL ESTIMATED COST		\$	39,469,600		




GTR Management Research to Understand Red Oak Dormancy

- Installed dataloggers to collect air and soil temperatures, and soil moisture at 10 and 30 cm depth
- Initial root respiration measurements from willow oak and overcup oak in the field
- 15N-Nitrate uptake assay with field-collected willow oak and overcup oak
- Willow oak seedling controlled-soil temperature experiment in progress

Highlights to date





GTR ManagementKey Research Questions

- When do soil temperatures decline at AGFC GTRs?
- How do soil temperatures relate to air temperatures?
- How does flooding impact soil temperature?
- MDC collaborators develop soil temperature prediction formula that requires input of air temperatures.

Assumes soil temp. will predict dormancy



GTR Management Controlled Soil Temperature Experiments



- Discern whether root activity responds to soil temperature or above ground cues
- See if flood imposed after leaf fall, and removed before bud break, negatively impacts seedlings

5,000 willow oak acorns from Cut Off Creek



Outcomes

- Support for delaying flood-up on all GTRs across the state from Oct. 1-15 to Nov. 15. Implemented in 2017 as a stop gap until infrastructure is improved and more data is collected on red oak dormancy
- Support for not initiating board up in HGHL WMA South GTR due to 200 acre deadening that has grown to over 400 acres this summer and on Dagmar WMA due to timber sale in 2016 and red oak regeneration occurring within the GTR following timber harvest. 600 seedlings/acre in 2018 and 800/acre in 2019
- NFWF Grant (\$250.000 for mulching drains in south GTR), two 1 million dollar NAWCA proposals submitted for Bayou DeView WMA and Engineering Contracts
- Comprehensive management plans for long term sustainability
- New Forest Inventory Database
 - Three levels of data collection associated with each plot. At the plot level we are collecting forest parameters such as forest type, canopy closure, mid story density and under-story cover. This data is used to quantify forest structure and assess habitat quality. Second is plot center where we are collecting individual tree level data such as species, diameter, forest product and merchantable height determinations, crown class position, and assessing tree health. At the third level we are recording all reproduction.



WILLOW OAK **ALL CROWN CLASSES COMBINED** TREE STRESS INDICATORS None Dead 14% 17% Near death Heavy 11% Slight 23% Moderate 34%

Bayou De View WMA Compartment 1 Index of Red Oak Regeneration Density



Bayou De View WMA Compartment 1 Index of Willow Oak Density

