

**ARKANSAS SENATE**  
92nd General Assembly - Regular Session, 2019  
**Amendment Form**

---

**Subtitle of Senate Bill No. 168**

TO AMEND THE SAFE HAVEN ACT.

---

**Amendment No. 1 to Senate Bill 168**

Amend Senate Bill No. 168 as originally introduced:

Page 2, delete lines 21 through 29, and substitute the following:

"(2) In a newborn safety device that is:

(A) Voluntarily installed by the medical provider, law enforcement agency, or fire department;

(B) Physically located inside a hospital, law enforcement agency, or fire department that is staffed twenty-four (24) hours a day by a medical services provider; and

(C) Located in an area that is conspicuous and visible to the employees of the hospital, law enforcement agency, or fire department."

AND

Page 3, delete lines 18 through 20, and substitute the following:

"(2) Install an adequate dual alarm system connected to the physical location of the newborn safety device that is:

(A) Tested at least one (1) time per week to ensure the alarm system is in working order; and

(B) Visually checked at least two (2) times per day to ensure the alarm system is in working order."



The Amendment was read the first time, rules suspended and read the second time and \_\_\_\_\_

By: Senator Bledsoe

JNL/JNL - 02-04-2019 15:02:17

JNL192

\_\_\_\_\_  
Secretary